HH-4750 Headboard

ASSEMBLY INSTRUCTIONS

TECHNICAL SPECIFICATION SKU: H4745-002 /H4745-003 DESCRIPTION: Bay View Headboard

Important safety instructions:

- * Please carefully read all instructions before assembling.
- * For your safety, assembly by two or more adults is recommended.
- * keep instructions for future use. Pre-assembly:
- * Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts of hardware.
- * Remove parts and hardware from box along with any plastic protective packaging.

Parts

- 1. Top part of Headboard
- 2. Bottom part of Headboard


Hardware

- 1. Two metal plate
- 2. 4 Bolts
- 3. 4 Washer

ASSEMBLY INSTRUCTIONS

WARNING: ENLIST ADDITIONAL HELP FOR ASSEMBLY PROCESS.

- 1 ALIGN TOP PART OF HEADBOARD WITH BOTTOM PART.
- 2. ATTACH BOTH PIECES USING MACHINE BOLTS PROVIDED.
 - " DO NOT OVER TIGHTHEN "
- 3 ATTACH METAL PLATES STRAPS WITH WOOD SCREWS PROVIDED FOR ADDED SUPPORT.
- 4. FULL ASSEMBELY.



www.sunsettrading.com

info@sunsettrading.com

603-421-0900

RAIL ASSEMBLY INSTRUCTIONS

TECHNICAL SPECIFICATION

SKU: N/A

DESCRIPTION: RAIL AND HEADBOARD/FOOTBOARD ASSEMBLY.

Important safety instructions:

- * Please carefully read all instructions before assembling.
- * For your safety, assembly by two or more adults is recommended.
- * Keep instructions for future use.

Pre-assembly:

- * Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts of hardware.
- * Remove parts and hardware from box along with any plastic protective packaging.

Parts

- 1. Headbord
- 2. Footboard
- 3. 2 rails

Hardware

- 1.8 Bolts
- 1.8 Washers
- 1,8 Pressure washers

TO ATTACH THE RAIL TO HEADBOARD AND FOOTBOARD

- 1. ALIGN RAIL TO HEADBOARD AND FOOTBOARD, WITH CORRECT HOLES,
- 2. INSERT BOLT, WASHER AND PRESSURE WASHER THROUGH THE RAIL HOLE AND THEN INTO HEADBOARD HOLE.
- 3. TIGHTEN BOLTS . (Do not over tighten).
- 4. REPEAT THIS PROCESS FOR ALL FOUR POINTS OF BED.
- 5. INSERT SLATS INTO EACH SLOT LOCATED IN THE INTERIOR SIDE OF RAILS.

